



## SARS-CoV-2 PCR 24H

Lab Name	Clarity Mobile Ventures	Location Name	SEAD Test Location
Lab Address	651 World Way Los Angeles, CA 90045	Location Address	1000 Test Ave Abbeville, AL 36310
Lab Director	Wayne Cai, MD	Physician Name	Test Physician
Lab Clia Number	05D2201086	Physician Npi Number	1234567
Lab Phone	1-424-419-1381		
Lab Fax	1-877-305-6981		

Patient Name	Test Patient	Accession Number	LAX-157461
Patient Dob	04/02/1991	Collection Date	06/17/2021 09:00 PM
Patient Sex	U	Service Date	06/18/2021 03:01 PM
Patient Address	100 TEST Blvd Chaffee, ND 58014	Completed Date	06/18/2021 03:02 PM
Patient Phone	5552581479	Resulting Tech Initials	EW
Passport Number	12345678	Specimen Type	Nasopharyngeal swab

Test Group	Test Name	Result	Reference Result	Abnormal Flag
Coronavirus Targets	RT-PCR SARS-COV-2 (COVID-19) (BIORAD)	NEGATIVE	NEGATIVE	

This test was developed and its performance characteristics determined by Clarity Mobile Labs. Clarity Mobile Labs is approved by CLIA and accredited by COLA as a high complexity Laboratory. The U.S. FDA has not approved or cleared this test; however, FDA clearance or approval is not currently required for clinical use under the Emergency Use Authorization declaration. The results are not intended to be used as the sole means of clinical diagnosis or patient management decisions. A negative or not detected result does not exclude the presence of CoVID-19 and is subject to the detection limit of the assay.

For more information please visit the following website: <https://www.cdc.gov/coronavirus/2019-ncov/downloads/Factsheet-for-Patients-2019-nCoV.pdf>